1764

PATENT

Atty. Dkt. No. WEAT/0382

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Ham, et al.

Serial No.: 09/522,118

Confirmation No.: 2881

Filed:

March 9, 2000

For:

Plural Conduit Replaceable
Outer Support Structure For

Radial Flow System

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Group Art Unit: 1764

Examiner:

Jennifer A. Leung Q

CERTIFICATE OF MAILING 37 CFR 1.8

I hereby certify that this correspondence is being deposited on the control of th

Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

<u>ZE V3|01/ 03</u> Date Signature

RESPONSE TO OFFICE ACTION DATED JANUARY 28, 2003

In response to the Office Action dated January 28, 2003, having a shortened statutory period for response set to expire on April 28, 2003, please enter this response and reconsider the claims pending in the application for reasons discussed below. Although Applicant believes that no fee is due in connection with this response, the Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/WEAT/0382/WBP, for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.